EAGLE TRAVEL TRAILERS AND FIFTH WHEELS BY JAYCO

MIDOLEBURY, IN





# countless RTS

WITHOUT breaking the bank

ELECTRIC







#### **YOU WANT PEACE OF MIND**

That's why we offer our exclusive 2-year Co-Pilot Warranty, the industry's best and most comprehensive warranty program.



#### **AWNING**



comfort #3
PORCELAIN TOILET

comfort #4 PASS-THRU STORAGE

### comfort \*5 DREAM DINETTE

Easily convert your dining table into a bed with the Jayco exclusive Dream Dinette table mechanism.

## comfort #6 EXTERIOR KITCHEN

Cook outdoors thanks to Eagle's optional exterior kitchen, complete with 2-burner stove, 3 cu. ft. refrigerator and sink.

## comfort #7 BLACK TANK FLUSH

Eagle is packed with amenities that make setup and teardown easier than ever, like the convenient, standard black tank flush.

#### **WITH YOUR PURCHASE**

Every Jayco RV undergoes rigorous quality control testing before it leaves the factory, so you can be confident your new Jayco will continue to provide the ultimate in reliability for years to come.

For a copy of our 2-year Co-Pilot limited warranty with full terms and conditions, ask your local Jayco dealer.



TO LEARN MORE ABOUT OUR QUALITY CONTROL TESTING, SCAN HERE WITH YOUR SMARTPHONE.



With 11 available floorplans packed with a host of amenities, it's easy to find the Eagle travel trailer fit for you. Boasting multiple slideouts, private bedrooms and select model bunk rooms, Eagle gives you the space you need to call your getaway a retreat.














#### **FULL-FEATURED KITCHEN**

Eagle sports a well-equipped kitchen, complete with a 8 cu. ft. Norcold refrigerator with magnet-friendly panels, stainless-steel, pull-out faucet, dual sink covers and stunning Amish-crafted hardwood cabinetry.

#### eagle travel trailer FLOORPLANS



#### EAGLETRAVELTRAILER | 257RBS

Ext. Length: 29' 4" Ext. Height: 138" Unloaded Wt. (lbs.): 6,185 Sleeps: 4-6



#### EAGLETRAVELTRAILER | 304BHS

Ext. Length: 33' 5" Ext. Height: 138" Unloaded Wt. (lbs.): 6,650 Sleeps: 5-10



#### EAGLETRAVELTRAILER | 324BTS

Ext. Length: 36' 2" Ext. Height: 139" Unloaded Wt. (lbs.): 8,020 Sleeps: 9-12


#### EAGLETRAVELTRAILER | 266RKS

Ext. Length: 29' 10" Ext. Height: 138" Unloaded Wt. (lbs.): 6,305 Sleeps: 4-6



#### EAGLETRAVELTRAILER | 308RETS

Ext. Length: 35' Ext. Height: 138" Unloaded Wt. (lbs.): 7,450 Sleeps: 3-8



#### EAGLETRAVELTRAILER | 328RLTS

Ext. Length: 35' 6" Ext. Height: 138" Unloaded Wt. (lbs.): 7,775 Sleeps: 3-8

#### STANDARDS AND OPTIONS

#### STANDARD EXTERIOR EQUIPMENT

Deluxe Graphics Package with Chocolate Glazed accent cap and skirting

Polar White exterior fiberglass shell

TuffShell vacuum-bonded laminated sidewalls,

slideout walls and rear wall

Fully enclosed and heated underbelly

Oversized fresh water system/holding tanks

Magnum truss roof system

I-Class cambered structural I-beam frame

Glacier Package (see package details)

Radial tires

E-Z Lube axles

Nev-R-Adjust brakes

MOR/ryde CRE 3000 suspension system

Completely enclosed and protected

slide mechanisms

30" x 72" main entrance door

Extendable main entrance grab handle

Big Easy entry step with 10" step tread

and safety light

Large patio scare light

Exterior marine-grade speakers (2)

G20 dark-tinted, safety-glass windows Large pass-through basement storage

Dual battery capacity

Cap-integrated 30-lb. propane bottles with auto regulator

30-amp power service

Black tank flush

Cable/SAT prep

Digital TV antenna

Undermounted spare tire

Frame fully prepped for bike rack/cargo tray

#### STANDARD INTERIOR EQUIPMENT

Concord Cherry, raised-panel cabinetry with

lumbercore, screwed-style construction Oversized pots and pans drawer

at dinette (n/a U-dinette models)

Steel ball bearing drawer guides, 75-lb.

capacity, full extension Large, split, kitchen sink with (2) cutting board

covers and pull-out style kitchen faucet 18 gal./hr. quick recovery gas/electric DSI

water heater (6 gal.) 8 cu. ft. refrigerator with magnet-friendly front panels

Command center for switches includes 12V cell phone charger

Arched 84" ceiling with decorative transitions Closeable and directional A/C vents

Pleated night shades

Glass shower enclosure

Bath skylight

Porcelain bath stool with foot flush

Deluxe master bedroom mattress with quilted bedspread

300-lb. bunk bed capacity (600-lb. 284BHS)

#### **CUSTOMER VALUE PACKAGE** (MANDATORY)

Electric patio awning

Outside shower

13,500-BTU A/C with Chillgrille feature

32" HDTV (26" HDTV in 334RBTS)

Multi-Media Premium Sound System with AM/FM/CD/DVD and MP3 input jack

Microwave

Oversized 21" oven

Water heater bypass

Bath power vent

Tile look tub/shower surround

#### OPTIONS

Keyless entry main door

Aluminum rims

Thermal-paned, tinted, safety-glass windows Electric tongue jack

Electric stabilizer jacks

hand-held satellite locator

Satellite Kit: Dish, tripod, 20' cable and

Outside kitchen (304BHS, 314BDS,

324BTS, 334RBTS)

Outside grill

Bike rack/cargo tray

Roof ladder

15.000-BTU A/C

2nd A/C in bedroom (13,500-BTU)

50-amp service with 2nd A/C prep

Solid-surface kitchen countertops with

undermounted sink and covers

Free-standing table and chairs (select models) Linoleum in living area (298RLDS, 308RETS,

316RKDS, 328RLTS) Ledgestone fireplace with 40" HDTV

(308RETS, 328RLTS)

Air mattress hide-a-bed in lieu of chairs (2) (308RETS)

Air mattress hide-a-bed

Door-side hide-a-bed sofa (328RLTS)

Swivel chairs in lieu of door-side sofa (328RLTS) Recliners in lieu of swivel chairs (298RLDS,

308RETS and 316RKDS) Recliners in lieu of door-side sofa (328RLTS)

Dinette with folding overhead bunk (304BHS) Trundle bed in lieu of J-Cube (314BDS, 324BTS)

J-Cube futon with folding bunk (334RBTS)




#### EAGLETRAVELTRAILER | 284BHS

Ext. Length: 31' 8" Ext. Height: 138" Unloaded Wt. (lbs.): 6,510 Sleeps: 6-9



#### EAGLETRAVELTRAILER | 314BDS

Ext. Length: 32' 7" Ext. Height: 138" Unloaded Wt. (lbs.): 7,465 Sleeps: 7-10




#### EAGLE TRAVELTRAILER | 298RLDS

Ext. Length: 34' Ext. Height: 138" Unloaded Wt. (lbs.): 7,210 Sleeps: 3-6




#### EAGLETRAVELTRAILER | 316RKDS

Ext. Length: 34' 2" Ext. Height: 138" Unloaded Wt. (lbs.): 7,240 Sleeps: 3-6



#### EAGLETRAVELTRAILER | 334RBTS

Ext. Length: 36' 11" Ext. Height: 139" Unloaded Wt. (lbs.): 8,395 Sleeps: 6-10




## OPTION: G TRUNDLE BED MIDDLE BUNK UPPER BUNK BUNKS WITH TRUNDLE BED OPTION

FLOORPLAN OPTIONS

GROSS







#### **SPECIFICATIONS**

|           |         |       |            |        |               |           | VEHICLE | CARGO    | FRESH WATER     |                 |                 |
|-----------|---------|-------|------------|--------|---------------|-----------|---------|----------|-----------------|-----------------|-----------------|
|           |         |       | EXT.       |        | UNLOADED      | DRY HITCH | WEIGHT  | CARRYING | CAPACITY (GAL.) | GRAY            | TOILET/BLACK    |
|           | EXT.    | EXT.  | HEIGHT     | INT.   | VEHICLE       | WEIGHT    | RATING  | CAPACITY | (WITH WATER     | WASTEWATER      | WASTEWATER      |
| FLOORPLAN | LENGTH  | WIDTH | (WITH A/C) | HEIGHT | WEIGHT (LBS.) | (LBS.)    | (LBS.)  | (LBS.)   | HEATER)         | CAPACITY (GAL.) | CAPACITY (GAL.) |
| 257RBS    | 29' 4"  | 96"   | 138"       | 84"    | 6,185         | 860       | 8,500   | 2,315    | 82              | 65              | 32.5            |
| 266RKS    | 29' 10" | 96"   | 138"       | 84"    | 6,305         | 935       | 8,500   | 2,195    | 82              | 65              | 32.5            |
| 284BHS    | 31' 8"  | 96"   | 138"       | 84"    | 6,510         | 835       | 9,000   | 2,490    | 82              | 32.5            | 32.5            |
| 298RLDS   | 34'     | 96"   | 138"       | 84"    | 7,210         | 1,105     | 9,750   | 2,540    | 82              | 32.5            | 32.5            |
| 304BHS    | 33' 5"  | 96"   | 138"       | 84"    | 6,650         | 895       | 9,000   | 2,350    | 82              | 32.5            | 32.5            |
| 308RETS   | 35'     | 96"   | 138"       | 84"    | 7,450         | 1,030     | 9,975   | 2,525    | 82              | 32.5            | 32.5            |
| 314BDS    | 32' 7"  | 96"   | 138"       | 84"    | 7,465         | 930       | 9,975   | 2,510    | 82              | 32.5            | 32.5            |
| 316RKDS   | 34' 2"  | 96"   | 138"       | 84"    | 7,240         | 1,150     | 9,750   | 2,510    | 82              | 65              | 32.5            |
| 324BTS    | 36' 2"  | 96"   | 139"       | 84"    | 8,020         | 945       | 10,600  | 2,580    | 86              | 32.5            | 32.5            |
| 328RLTS   | 35' 6"  | 96"   | 138"       | 84"    | 7,775         | 1,215     | 10,500  | 2,725    | 86              | 32.5            | 32.5            |
| 334RBTS   | 36' 11" | 96"   | 139"       | 84"    | 8.395         | 1.075     | 10.950  | 2.555    | 84              | 65              | 32.5            |

The weights of certain options and/or option packages are not included in the UVW listed in the specification charts.

#### INTERIOR DÉCOR CHOICES

**AMBER** 



#### **BROWNSTONE**



#### COCOA





You and your guests will love every minute in your new Eagle fifth wheel, thanks to its many standard luxuries, like stunning full-height Concord Cherry cabinetry, oversized kitchen sink with cutting board covers, ceiling fan and porcelain toilet.














#### **DARE TO STRETCH OUT**

Thanks to a 60" x 80" mattress with 312-coil innerspring design, tossing and turning is a thing of the past. And now, you can sleep in too, thanks to durable, pleated night shades.

#### eagle fifth wheel FLOORPLANS




#### EAGLE FIFTH WHEEL | 28.5RLS

Ext. Length: 30' 10" Ext. Height: 151" Unloaded Wt. (lbs.): 7,785 Sleeps: 6



#### EAGLE FIFTH WHEEL | 30.5BHLT

Ext. Length: 35' 2" Ext. Height: 154" Unloaded Wt. (lbs.): 9,070 Sleeps: 9



#### EAGLE FIFTH WHEEL | 31.5FBHS

Ext. Length: 34' 5" Ext. Height: 152" Unloaded Wt. (lbs.): 8,490 Sleeps: 10




#### EAGLE FIFTH WHEEL | 31.5RLTS

Ext. Length: 34' 4" Ext. Height: 154" Unloaded Wt. (lbs.): 9,105 Sleeps: 4



#### EAGLE FIFTH WHEEL | 33.5RETS

Ext. Length: **36' 6"** Ext. Height: **155"** Unloaded Wt. (lbs.): **9,675** Sleeps: **3-4** 



#### EAGLE FIFTH WHEEL | 29.5RKS

Ext. Length: 31' 11" Ext. Height: 153" Unloaded Wt. (lbs.): 7,950 Sleeps: 6



#### EAGLE FIFTH WHEEL | 30.5RLS

Ext. Length: 33' 6" Ext. Height: 155" Unloaded Wt. (lbs.): 8,250 Sleeps: 6




#### EAGLE FIFTH WHEEL | 31.5RLDS

Ext. Length: 35' 2" Ext. Height: 154" Unloaded Wt. (lbs.): 8,875 Sleeps: 6



#### EAGLE FIFTH WHEEL | 33.5QBDS

Ext. Length: 36' 5" Ext. Height: 151" Unloaded Wt. (lbs.): 9,040 Sleeps: 5-10



#### EAGLE FIFTH WHEEL | 33.5RKTS

Ext. Length: TBD Ext. Height: TBD Unloaded Wt. (lbs.): TBD Sleeps: 3-4

| SPECIFIC  | CATIO   | NS    |            | EXT. HEIGHT | UNLOADED  | DRY     | VEHICLE | CARGO  | CAPACITY | GRAY        |            |                 |
|-----------|---------|-------|------------|-------------|-----------|---------|---------|--------|----------|-------------|------------|-----------------|
|           |         |       | EXT.       | (WITH OPT.  | INT.      | VEHICLE | HITCH   | WEIGHT | CARRYING | (GAL.)      | WASTEWATER | TOILET/BLACK    |
|           | EXT.    | EXT.  | HEIGHT     | BEDROOM     | HEIGHT    | WEIGHT  | WEIGHT  | RATING | CAPACITY | (WITH WATER | CAPACITY   | WASTEWATER      |
| FLOORPLAN | LENGTH  | WIDTH | (WITH A/C) | A/C)        | (BEDROOM) | (LBS.)  | (LBS.)  | (LBS.) | (LBS.)   | HEATER)     | (GAL.)     | CAPACITY (GAL.) |
| 28.5RLS   | 30' 10" | 96"   | 151"       | n/a         | 78"       | 7,785   | 1,635   | 10,200 | 2,415    | 92          | 65         | 32.5            |
| 29.5RKS   | 31' 11" | 96"   | 153"       | 156"        | 72"       | 7,950   | 1,650   | 10,700 | 2,750    | 92          | 65         | 32.5            |
| 30.5BHLT  | 35' 2"  | 96"   | 154"       | 157"        | 72"       | 9,070   | 1,740   | 11,700 | 2,630    | 92          | 65         | 32.5            |
| 30.5RLS   | 33' 6"  | 96"   | 155"       | 156"        | 72"       | 8,250   | 1,735   | 11,200 | 2,950    | 82          | 65         | 32.5            |
| 31.5FBHS  | 34' 5"  | 96"   | 152"       | n/a         | 67"       | 8,490   | 1,650   | 11,200 | 2,710    | 81          | 65         | 32.5            |
| 31.5RLDS  | 35' 2"  | 96"   | 154"       | 156"        | 72"       | 8,875   | 1,935   | 11,700 | 2,825    | 82          | 65         | 32.5            |
| 31.5RLTS  | 34' 4"  | 96"   | 154"       | 156"        | 73"       | 9,105   | 2,090   | 11,900 | 2,795    | 82          | 65         | 32.5            |
| 33.5QBDS  | 36' 5"  | 96"   | 151"       | 157"        | 77"       | 9,040   | 1,750   | 11,900 | 2,860    | 82          | 65         | 32.5            |
| 33.5RETS  | 36' 6"  | 96"   | 155"       | 160"        | 76"       | 9,675   | 1,815   | 11,995 | 2,320    | 82          | 65         | 32.5            |
| 33.5RKTS  | TBD     | 96"   | TBD        | TBD         | TBD       | TBD     | TBD     | TBD    | TBD      | 82          | 65         | 32.5            |

EDECH WATER

#### STANDARDS AND OPTIONS

#### STANDARD EXTERIOR EQUIPMENT

Deluxe Graphics Package with Chocolate Glazed accent cap and skirting

TuffShell vacuum-bonded laminated sidewalls,

slideout walls and rear wall

Fully enclosed and heated underbelly

Magnum truss roof system

I-Class cambered structural I-beam frame

Climate Shield ultimate weather protection

Radial tires

Aluminum rims

E-Z Lube axles

Nev-R-Adjust brakes

MOR/ryde CRE 3000 suspension system

30" x 72" main entrance door

G20 dark-tinted, safety-glass windows

Exterior marine-grade speakers (2)

Cable TV and outlet in basement

Dual 30-lb. propane gas bottles with auto regulator

Black tank flush

Oversized fresh water system and holding tanks

30-amp power service (28.5RLS, 29.5RKS, 30.5RLS, 31.5FBHS)

50-amp power service (30.5BHLT, 31.5RLDS, 31.5RLTS, 33.5QBDS)

Cable/satellite prep

Electric rear stabilizer jacks

Undermounted spare tire

Frame fully prepped for bike rack/cargo tray (n/a 30.5BHLT)

#### STANDARD INTERIOR EQUIPMENT

Concord Cherry, raised-panel cabinetry with lumbercore, screwed-style construction

Steel ball bearing drawer guides, 75-lb. capacity, full extension

18 gal./hr. quick recovery G/E DSI water heater (6 gal.)

8 cu. ft. refrigerator with magnet-friendly front panels

Command center for switches includes 12V cell phone charger

Closeable and directional A/C vents

Ceiling fan and light

Air mattress hide-a-bed sofa

Porcelain bath stool with foot flush

60" x 80" deluxe master bedroom mattress with quilted bedspread 300-lb. bunk bed capacity

#### **CUSTOMER VALUE PACKAGE (MANDATORY)**

Electric patio awning

Outside shower

13,500-BTU A/C with Chillgrille feature

Multi-Media Premium Sound System with AM/FM/CD/DVD

and MP3 input jack

Microwave

Oversized 21" oven

Water heater bypass

Bath power vent

Tile-look tub/shower surround

#### **OPTIONS**

Keyless main entrance door

Thermal-pane, tinted, safety-glass windows

16" aluminum rims

Reese Revolution pin box, allows for 90-degree turn on 6' bed

MOR/ryde pin box

Outside kitchen (33.5QBDS)

Outside grill

Bike rack/cargo tray (n/a 30.5BHLT)

Satellite Kit: Dish, tripod, 20' cable and hand-held satellite locator

Luxury Package: 8 cu. ft. refrigerator, 10-gal. water heater and slam latches on front baggage doors

Solid-surface kitchen countertops with undermounted sink/covers Dinette with folding bunk (33.5QBDS) Free-standing table and chairs (standard 31.5RLTS and 33.5RETS)

Electric fireplace (31.5RLTS) Ledgestone fireplace with 40" HDTV (31.5RLDS and 33.5RETS)

Linoleum in living area (n/a 30.5BHLT and 31.5FBHS)

Recliners in lieu of swivel chairs (select models)

2nd A/C in bedroom, 13,500-BTU ducted

50-amp service with 2nd A/C prep

## CONSTRUCTION

At Jayco, we've built a reputation for superior construction and quality craftsmanship. That commitment has led to our latest construction advancement, the all-new exclusive Magnum Roof System, 50 percent stronger than other roofs in the industry.



#### OUR NEW ROOF FFATURES ...

- 1 4 1/2" crowned wood trusses: Uses 2 x 2 vertical studs to maximize load capacity, while oversized nail plates provide a tighter design
- 2 3/8" roof decking, screwed down at every seam: More durable than typical stapled construction, provides fully walkable roof
- 3 Residential attic-style insulation: Maintains interior temperatures while allowing for room to run wiring, reducing risky electrical shorts
- 4 One-piece, sidewall-wrapped Alpha Ply material: Provides better leak protection

#### WALL CONSTRUCTION

- 5 TuffShell vacuum-bonded sidewalls, slideouts and back wall
- 6 Smooth fiberglass exterior
- 7 Welded aluminum frames
- 8 Double-layer front cap fiberglass insulation

#### FLOOR CONSTRUCTION

- 9 5/8" tongue-and-groove plywood on 2" x 3" wooden floor joists on 16" centers
- 10 Full-width outriggers
- 11 Bedroom floor Flexfoil and fiberglass insulation



#### **CLIMATESHIELD**

ULTIMATE WEATHER PROTECTION

Extend your camping season. Offering weather protection against extreme temperatures (as low as 0° F or as high as 100° F), the Jayco Climate Shield combines the industry's most-protected underbelly with the class's highest-BTU output furnace. The enclosed underbelly, tucked and foamed inside the I-beam rails, features blown heat for the ultimate four-season camping experience.

The Climate Shield features the following R-values.

VALUE UNIT AREA

Roof

Main floor

Slide floor Bedroom floor

All vertical walls Block foam Double R-7 insulation

TYPE OF INSULATION

Inside open pinbox R-14 foil

\* Eagle was tested in 0°F and 100°F weather over an extended period of time in a controlled environment and all functions of the coach were fully outside components are subject to freezing and require steps to properly insulate. Jayco's warranty does not cover damage caused by freezing.



THE JAYCO ECOADVANTAGE IS OUR COMPANY'S COMMITMENT TO PROTECTING THE ENVIRONMENT. Scan this QR code with your smartphone to watch a video about our efforts and the impact we're making on our planet.

www.jayco.com/ecoadvantage



## THE Jayco family STORY

#### THE JAYCO STORY BEGAN IN 1968 WITH OUR FAMILY—THE BONTRAGERS.

Lloyd Bontrager created an innovative, easy-to-use lifter system that led to a better fold-down camper. Loaded with more conveniences, he believed his camper would bring families closer together.

Since then, the Jayco family has grown. From our factory to our front office, from our salespeople to our suppliers, our family bond is four decades strong with the support of more than 300 Jayco dealers.

Together, we're helping make new family stories. YOUR FAMILY STORY.

#### welcome to the Jayco family



Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you enjoy working with them as much as we do.



Travel worry-free with Jayco's Customer First Roadside Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net, the largest RV emergency road service in the country, and gives you immediate access to dependable roadside assistance and support services with a simple phone call.



Jayco proudly sponsors Tread Lightly!, a nonprofit organization whose mission is to empower generations to enjoy the outdoors responsibly through education and restartion.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

**Gross Vehicle Weight Rating (GWWR):** GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GWWR is equal to or greater than the sum of the UVW and the CCC.



From RV insurance to extended warranties, JayPlus has it covered. Ask your Jayco dealer about our exclusive JayPlus program today.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GWVR minus UVW. The addition of ontions will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.



As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco or visit our website.

It is important for your safety and enjoyment that your tow vehicle be acceptate, by sized and equipped to tow and handle the GWNR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayoo affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart inside.

#### Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com @ WA

See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2012 Jayco, Inc. 13-EAGL-PL 1212-40K. Printed in U.S.A.