

BUILT FOR A LICE COLUMN STATES OF FAMILY FUN 5 LIFETIME WARRANTIES



JAY SERIES SPORT HARDWALL

JAY SERIES SPORT

JAY SERIES



For 45 years, Jayco has helped create generations of family fun, and over the course of that time, fun still looks remarkably the same. From campfires to fishing, from relaxing to eating, fun has the same feel generations later—and all with a Jayco RV nearby. Today, we're the largest family-owned RV manufacturer in the world, and our promise is to continually strive to build family-friendly products that will outlast just about everything but your memories. Join us in our generations of family fun.

On the cover: The 1987 brochure artwork, illustrated by Tim MacDonald, was part of a successful ad campaign. These illustrations inspired the 2015 Jayco brochure covers, which are live re-creations of Tim's artwork.



Forty five years ago, Jayco founder Lloyd Bontrager created an easy-to-use lifter system that led to a better fold-down camper.

Today, thanks to his patented design and other innovations like it, Jayco backs its camping trailers with five lifetime component warranties.*



1 LIFTER SYSTEM

Fully enclosed** to protect against road debris and rust, our one-of-a-kind, patented lifter system uses strong, flexible push-rods to guide the roof, while our three-stage tubular lift posts include nylon bushings to reduce friction, shed water and protect the tent fabric. (Jay Series power lift components feature a 2-year warranty.)



1,050-LB. RATED BUNK ENDS

DED PLATFORM

Rest easy on a bed of Jayco durability. A two-piece extruded aluminum bed frame, 1/2" decking and heavy-duty supports hold up to 1,050 pounds.



SEAMLESS DOME ROOF

ROOF

The Jay Series' fiberglass roof features a unique dome design for better water runoff and one-piece construction for superior leak prevention, ensuring your RV will weather the elements.



INTEGRATED A-FRAME

FRAME

Powder coated to prevent corrosion, Jayco's custom-built frame is built for the long haul, featuring an integrated A-frame that prevents buckling and torque during towing.




POLY FLEX-WRAPPED FLOOR

FLOOR

Jayco wraps its one-piece wooden floor deck with water-resistant Poly Flex material. Using glue and screws to double bond the floor to the frame, Jayco's camping trailers boast one of the industry's strongest foundations.

^{*} Not available on the Jay Series Sport Hardwall.

^{**} The Jay Series Sport lifter system is not fully enclosed.



Jay Series Sport

Elevate your experience

JAY SERIES SPORT

The 2015 Jay Series Sport delivers all the comforts of a pop-up camper at a price you can afford. Boasting 1,050-lb.-rated bunks and convertible dinettes, you can forget sleeping on the ground. Welcome to a new level of camping.









JAY SERIES SPORT HARDWALL

For 2015, Jayco is adding even more pop to its Jay Series Sport lineup with seven hardwall floorplans — a new easy-to-setup design for on-the-go enthusiasts.

SPEND LESS TIME SETTING UP and more time having fun

Turn the page to learn more about our easy setup.







JAY SERIES SPORT FLOORPLANS



11' 7"-22' 4"



WEIGHT



SLEEPS

1,200-2,455 lbs. 3-7



JAY SERIES SPORT | 8SD

Ext. Length: 11' 7" Travel Ht.: 57" Unloaded Wt. (lbs.): 1,200 Sleeps: 5-6



JAY SERIES SPORT | 10SD

Ext. Length: 13' 6" Travel Ht.: 57" Unloaded Wt. (lbs.): 1,435 Sleeps: 5-6



JAY SERIES SPORT | 12UD

Ext. Length: 15' 6" Travel Ht.: 57" Unloaded Wt. (lbs.): 1,570 Sleeps: 6-7



JAY SERIES SPORT HARDWALL | 12BFD

Ext. Length: 22' 4" Travel Ht.: 70" Unloaded Wt. (lbs.): 2,455 Sleeps: 2




JAY SERIES SPORT HARDWALL | 12BMD

Ext. Length: 18' 8" Travel Ht.: 62" Unloaded Wt. (lbs.): 2,005 Sleeps: 2




JAY SERIES SPORT HARDWALL | 12BSB

Ext. Length: 18' 8" Travel Ht.: 58" Unloaded Wt. (lbs.): 2,135 Sleeps: 2



JAY SERIES SPORT HARDWALL | 12H

Ext. Length: 16' 3" Travel Ht.: 61" Unloaded Wt. (lbs.): 1,915 Sleeps: 3-4




JAY SERIES SPORT HARDWALL | 12HFD

Ext. Length: 22' 4" Travel Ht.: 71" Unloaded Wt. (lbs.): 2,385 Sleeps: 3-4



JAY SERIES SPORT HARDWALL | 12HMD

Ext. Length: 18' 8" Travel Ht.: 62" Unloaded Wt. (lbs.): 1,990 Sleeps: 3-4



JAY SERIES SPORT HARDWALL | 12HSB

Ext. Length: 18' 8" Travel Ht.: 62" Unloaded Wt. (lbs.): 2,095 Sleeps: 3-4

SPECIFICATIONS

MODELS	DIMENSIONS				WEIGHTS (LBS.)	TANKS (GALS.)					
FLOORPLAN	EXTERIOR LENGTH	CAMPSITE LENGTH	EXTERIOR WIDTH	TRAVEL HEIGHT	UNLOADED VEHICLE WEIGHT*	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH (INCLUDES WATER HEATER)	GRAY	BLACK
8SD	11' 7"	16' 2"	85"	57"	1,200	175	1,995	795	10	n/a	n/a
10SD	13' 6"	19' 6"	85"	57"	1,435	165	2,250	815	10	n/a	n/a
12UD	15' 6"	21' 6"	85"	57"	1,570	210	2,350	780	10	n/a	n/a
12BFD	22' 4"	22' 4"	85"	70"	2,455	405	4,150	1,695	23	n/a	5
12BMD	18' 8"	18' 8"	85"	62"	2,005	230	3,250	1,245	23	n/a	5
12BSB	18' 8"	18' 8"	85"	58"	2,135	295	3,250	1,115	23	n/a	5
12H	16' 3"	16' 3"	85"	61"	1,915	230	3,250	1,335	23	n/a	n/a
12HFD	22' 4"	22' 4"	85"	71"	2,385	385	4,150	1,765	23	n/a	n/a
12HMD	18' 8"	18' 8"	85"	62"	1,990	220	3,250	1,260	23	n/a	n/a
12HSB	18' 8"	18' 8"	85"	62"	2,095	305	3,250	1,155	23	n/a	n/a

JAY SERIES SPORT

STANDARD EXTERIOR EQUIPMENT

Heavy-duty, corrosion-resistant frame construction Integrated A-frame

Floor constructed of one-piece wooden floor deck and

wrapped with Poly Flex underbelly material

Scratch-resistant, embossed aluminum exterior finish

Mildew-resistant aluminum ceiling

Domed, seamless fiberglass roof

Lifter post covers integrated into tent

DuraTek water-repellent sectionalized tent

with 1,050-lb. rated beds

One-piece construction entrance door with self-storing

screen door and access when roof is lowered

Heavy-duty entrance door securement latches

12" D-range radial tires with polyethylene wheel wells

Leaf spring suspension system

12V electrical system with 110V converter

20-lb. propane gas bottle

30-amp power cord

120V G.F.C.I. protected exterior receptacle

Prep wiring for battery

City water hookup

Bumper-welded steel construction

Leveling tongue jack

STANDARD INTERIOR EQUIPMENT

Heritage Mocha cabinet doors and drawers

Ball bearing drawer guides, 75-lb. capacity

with full-drawer extension

Acrylic sink and faucet

Appliances, pre-plumbed for propane

35-lb. ice box

Booth dinette with carry-out table

Tinted vinyl windows with fine-mesh screening

Window drapes and 4" ceiling valances

Wall-to-wall Diamondflor vinyl flooring

12V high-intensity lighting

Auxiliary 12V jack and privacy curtains for bunk ends

CUSTOMER VALUE PACKAGE

14" x 14" roof vent

E-Z Lube axles

Crank-down rear stabilizer jacks with sand pads (2)

Stainless-steel, carry-out stove with wind deflectors

10-gal. fresh water system with 12V demand pump Non-sliding, 4" deep dinette cushions

Self-storing awning

Electric brakes

Spare tire with carrier and cover

Prep for A/C, includes wiring, roof supports,

120V outlet and wire sleeve cover

16,000-BTU furnace with auto ignition

2-cu. ft. 3-way gas/electric refrigerator (110V/12V/propane)

Deluxe Plumbing Package: Outside shower and 6-gal. water heater (12UD)

Heated bed mats (2)

JAY SERIES SPORT HARDWALL

STANDARD EXTERIOR EQUIPMENT

Outside shower

Heavy-duty, corrosion-resistant frame construction

Integrated A-frame

Floor constructed of one-piece wooden floor deck and wrapped with Poly Flex underbelly material

Fiberglass roof

13" D-range radial tires with polyethylene wheel wells

E-Z Lube axles with TorFlex independent

torsion-axle suspension

12V electrical system with 35-amp, 110V power converter

20-lb. propane gas bottles (2)

30-amp power cord

120V G.F.C.I. protected exterior receptacle

Prep wiring for battery

City water hookup

Bumper-welded steel construction

Leveling tongue jack

STANDARD INTERIOR EQUIPMENT

10,000-BTU Cool Cat heat pump

2 cu.ft. 3-way gas/electric refrigerator (110V/12V/propane)

Heritage Mocha cabinet doors and drawers

Ball bearing drawer guides, 75-lb. capacity

with full-drawer extension

Acrylic sink and chrome faucet

17-gal. fresh water tank with 12V demand pump

6-gal. gas water heater

Appliances, pre-plumbed for propane

3-burner stainless-steel stovetop

Microwave oven

Booth dinette with carry-out dinette table

Non-sliding, 4" deep dinette cushions

Tinted vinyl windows with fine-mesh screening

Window shades

Privacy curtains

Wall-to-wall Diamondflor vinyl flooring

12V high-intensity lighting

Multi-media stereo with AM/FM/CD/USB/SD

CUSTOMER VALUE PACKAGE

Electric brakes

Crank-down stabilizer jacks with sand pads (4)

Spare tire with carrier and cover

Self-storing awning and screen room

16,000-BTU furnace with auto ignition

Powered roof vent

HARDWALL SETUP

Sets up easily in less than 30 seconds.

Pitch the spring-loaded roof, guiding it up until it locks into place.



- Step inside and shut the bottom door behind you before flipping up the top half. Secure with latch.
- 3 Push and latch the triangular sidewalls for final setup.




Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart left



Jay Series

Fold out the fun

JAY SERIES

Broaden your horizons in a 2015 Jay Series. Our most popular camping trailer lets you bring the outdoors in — and the indoors out — in four family-friendly floorplans with sleeping for up to eight people. A carry-out dinette table and stainless-steel carry-out stove let you enjoy the best of both worlds.









EASY ENTRANCE

Jayco's stepper door (n/a 1001XR) doubles as an entry door and swing-down step. Its swing-away function creates more ground clearance during travel, while its large design makes for a spacious step.





JAY SERIES FLOORPLANS




LENGTH

14' 2"-20' 6"

1,800-2,460 lbs.


WEIGHT SLEEPS

5-8




JAY SERIES | 1001XR

Ext. Length: 20' 6" Travel Ht.: 70" Unloaded Wt. (lbs.): 2,415 Sleeps: 5-6




JAY SERIES | 1207UD

Ext. Length: 16' 2" Travel Ht.: 61" Unloaded Wt. (lbs.): 2,045 Sleeps: 6-7



JAY SERIES | 1007UD

Ext. Length: 14' 2" Travel Ht.: 59" Unloaded Wt. (lbs.): 1,800 Sleeps: 6-8



JAY SERIES | 1209SC

Ext. Length: 18' 2" Travel Ht.: 60" Unloaded Wt. (lbs.): 2,460 Sleeps: 6-7

SPECIFICATIONS

MODELS	DIMENSIONS				WEIGHTS (LBS.)				TANKS (GALS.)		
FLOORPLAN	EXTERIOR LENGTH	CAMPSITE LENGTH	EXTERIOR WIDTH	TRAVEL HEIGHT	UNLOADED VEHICLE WEIGHT**	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH (INCLUDES WATER HEATER)	GRAY	BLACK
1001XR	20' 6"	24' 2"	85"	70"	2,415	265	4,550	2,135	36.5	11*	5*
1007UD	14' 2"	20' 10"	85"	59"	1,800	160	2,550	750	23	0	0
1207UD	16' 2"	23' 4"	85"	61"	2,045	180	2,950	905	23	0	0
1209SC	18' 2"	23' 4"	85"	60"	2,460	315	3,450	990	23	11*	5*

*With optional bath/shower. **The weights of certain options and/or option packages are not included in the UVW listed in the specification charts

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.





DURABLE INTERIORS

Jayco builds its camping trailers to hold up to the most rugged of family adventures, starting with DuraTek vinyl tent material, double-stitched for extra longevity. This material packs up well, resisting mold, mildew, scratches and cracks. Inside, 75-lb. rated ball bearing drawer guides provide durable storage.



FRESHEN UP

Who doesn't love hot water? Jay Series packs a 6-gal. water heater, water heater bypass and water filtration system for the ultimate in convenience. And a swing-level galley makes kitchen setup easier than ever.

INTERIOR DÉCOR



JAY SERIES

STANDARD EXTERIOR EQUIPMENT

Heavy-duty, corrosion-resistant frame construction

Integrated A-frame

One-piece wooden floor deck, wrapped with Poly Flex underbelly material

Scratch-resistant, embossed aluminum exterior finish

Mildew-resistant aluminum ceiling and domed, seamless fiberglass roof

14" x 14" roof vent

Prep for A/C accommodating all roof-mounted A/Cs

Roof prepped for bike carrier

Jayco's original, fully enclosed lifter system with lifter post covers integrated

into tent (same design used since 1968)

Power roof lift with hand-held remote key fob

DuraTek water-repellent sectionalized tent with 1,050-lb. rated beds

Permanently attached bed support poles

Diamond plate on front and rear walls

One-piece entrance door with self-storing screen door; accessible when roof is lowered

Stepper door (n/a 1001XR)

12" D-range tires (1007UD)

13" D-range tires (1207UD and 1209SC)

15" off-road radial tires (1001XR)

E-Z lube axles with leaf-spring suspension

Spare tire and tire carrier with vinyl tire cover Stainless-steel, carry-out stove with wind deflectors

1,000-lb. rated utility deck with ramps/deck railing and quick-connect

attachment system (1001XR)

12V electrical system with 110V converter

30-amp power cord

Prep wiring for battery

Bumper-welded steel construction

Crank-down stabilizer jacks with sand pads

Leveling tongue jack

STANDARD INTERIOR EQUIPMENT

Heritage Mocha cabinetry with raised-panel doors and drawers

Ball bearing drawer guides, 75-lb. capacity and full-drawer extension

Acrylic sink and faucet

Swing-level kitchen galley

6-gal. water heater

17-gal. fresh water tank with 12V demand pump

Water heater bypass system

Appliances, pre-plumbed for propane

Booth dinette with carry-out table

Non-sliding, 4" deep cushions for dinette

SoftShade window shades and valances

Tinted vinyl windows with fine-mesh screening Porta-potti storage cabinet (select models)

Wall-to-wall Diamondflor vinyl flooring

Auxiliary 12V jack and privacy curtains for bunk ends

CUSTOMER VALUE PACKAGE

Self-storing awning

2-cu. ft. 3-way gas/electric refrigerator (110V/12V/propane)

Water purification system

Bunk-end fan lights (2)

BAJA PACKAGE (1001XR)

Aluminum rims

E-Z Lube axles

20-lb. propane bottles (2)

Battery gauge

Solar prep

30-gal. fresh water tank

OPTIONS

Heated bed mats (2)

Deluxe screen room

Electric brakes (standard on 1001XR, 1209SC)

Hydraulic surge brakes (1007UD, 1207UD, 1209SC)

Outside grill

Multi-media stereo with outside speakers (mandatory on 1001XR)

16,000-BTU furnace with auto ignition

2nd table with pedestal leg (1007UD, 1207UD)

Bath/shower with hard walls and shower curtain (1001XR, 1209SC)

Powered roof vent

Front storage box (1001XR)



Bumper-to-hitch limited warranty*

Jayco

Generations of family fun.

FAMILY **FULL**starts with peace of mind

At Jayco, we build our RVs to handle every adventure, then we back our products with an industry-leading 2-year limited warranty. You won't find a better warranty in the business because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. We have the warranty that will follow you anywhere.

*For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer.

FREE Roadside Assistance

Travel worry-free with Jayco's Customer First Roadside Assistance program, yours at no cost during the first year of ownership. This program is offered through Coach-Net, the country's largest RV emergency road service, and gives you immediate access to assistance.

CCO advantage

Jayco's long-term commitment to generations of family fun



Scan this QR code with your smartphone to watch a video about our efforts and the impact we're making on our planet.

ecoadvantage.jayco.com

The fun starts with your local Jayco dealer

Your local dealer

From giving advice to selling and servicing products, we consider our loyal dealers the glue in our family bond. Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you consider them a part of your camping family.

Follow Jayco







Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com (a) See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2015 Jayco, Inc. 15-FDCT-PL 0115-10K Printed in U.S.A.